



# Deco Supermatt

Deco Supermatt is Outokumpu's dullest available surface with an extremely homogeneous high-class appearance.

## General characteristics

The version 1800d is coarser and at the same time glossier than the original. Deco Supermatt 2400d is even more coarse and slightly less reflecting than 1800d.

Deco Supermatt is produced by shot blasting in industrial production lines which guarantees a steady process combined with reasonable cost competitiveness.

## Typical applications

- Exterior and interior architectural cladding
- Roofing

## Standards

Standard	Designation
EN 10088-2	2E
ASTM A480	-

## Properties

	Supermatt	Supermatt 1800d	Supermatt 2400d
Roughness $R_a$	≈ 2 μm	≈ 3 μm	≈ 4 μm
Specular reflectance	≈ 2%	≈ 9%	≈ 5%




Fig. 1. Deco Supermatt on Supra 316L/4404.

## Available steel grades

Outokumpu steel name	EN	ASTM
Core 304/4301	1.4301	304
Core 304L/4307	1.4307	304L
Supra 316/4401	1.4401	316
Supra 316L/4404	1.4404	316L

Other steel grades on request, please contact us.

## Available dimensions

Version	Width, mm	
	≤ 1250	> 1250
Supermatt	0.5–2.0	0.8–2.0
Supermatt 1800d	0.8–3.0	1.0–3.0
Supermatt 2400d	1.2–3.0	1.2–3.0

Available thickness range in mm per version and width. Other dimensions on request, please contact us.

# Working towards a world that lasts forever

We work with our customers and partners to create long lasting solutions for the tools of modern life and the world's most critical problems: clean energy, clean water, and efficient infrastructure. Because we believe in a world that lasts forever.

Information given in this data sheet may be subject to alterations without notice. Care has been taken to ensure that the contents of this publication are accurate but Outokumpu and its affiliated companies do not accept responsibility for errors or for information which is found to be misleading. Suggestions for or descriptions of the end use or application of products or methods of working are for information only and Outokumpu and its affiliated companies accept no liability in respect thereof. Before using products supplied or manufactured by the company the customer should satisfy himself of their suitability.

MODA, CORE, SUPRA, FORTA, ULTRA, DURA, THERMA and DECO are trademarks of Outokumpu Oyj.

PRODEC, EDX, FDX, FDX 25, FDX 27, LDX, 253 MA, 254 SMO, 654 SMO, LDX 2101, LDX 2404 are registered trademarks of Outokumpu Oyj.

