

DoP No.: 1.4162 In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019

and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020 Hot-rolled plate for the construction product 1.4162 - EN 10088-4:2009 1. Unique identification code for product type: 2. Batch No./Serial No. acc. to article 11 par. 4: See marking / label / inspection document Plate of corrosion resisting steels for construction 3. Intended use for construction product: purposes. 4. Contact address of manufacturer: **Outokumpu Stainless AB** acc. to article 11 par. 5 **Degerfors Operations** SE-69381 Degerfors, Sweden 5. Contact address of authorised representative Not appointed acc. article 12 par. 2: EN 10088-4:2009 BS EN 10088-4:2009 6. Assessment system and verification for constancy of performance acc. to annex V: System 2+ System 2+ 7. The notified/approved body: **TÜV NORD Systems GmbH** TÜV UK Ltd, AMP House, & Co. KG, Hamburg, Suites 27 - 29, Fifth Floor, identification no.: 0045 Dingwall Road, Croydon, CRO 2LX, identification has conducted the first inspection and no.: 0879 continuous surveillance according to the system above and 0045-CPR-0519 0879-CPR-10088-4issued the certificate:

No

SE00080

as a confirmation of conformity for the factory production control.

European Technical Assessment:

9. Declared performance:

8. Construction product with

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4162 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4301

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	Hot-rolled plate	
1. Unique identification code for product typ	e: 1.4301 – EN 10088-4:2009	1.4301 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par.	4: See marking / label / inspec	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting s purposes.	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	The state of the s	
5. Contact address of authorised representat acc. article 12 par. 2:	ive Not appointed		
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+	
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,	
has conducted the first inspection and continuous surveillance according to the syste above and	*	CR0 2LX, identification no.: 0879	
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080	
as a confirmation of conformity for the factory production control.	,		
Construction product with European Technical Assessment:	No		

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4301 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4306

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the construction Froducts (Amendment etc.) (EO EXIL) REGUIACIONS 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4306 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification flo.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
8. Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4306 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4307

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

or the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4307 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CR0 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4307 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4311

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4311 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.	, S., .	
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4311 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4362

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the construction Products (Amendment etc.) (EU EXIL) Regulations 2020	
or the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4362 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification flo., 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4362 – EN 10088-4;2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4401

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4401 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg,	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
8. Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4401 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4404 In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4404 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4404 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4406

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the construction Froducts (Amendment etc.)	(LO EXIL) Negulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4406 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		,
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4406 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4410 egulation 2011 (retained EU

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4410 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification flo.: 0043	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.	·	
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4410 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4429

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4429 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4429 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4432 In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019

and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the construction Froducts (Amendment etc.) (LO EXITY NEGULATIONS 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4432 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.	5	a
8. Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4432 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4435 In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019

and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the construction Froducts (Amendment etc.) (EO EXIL) REGUIALIONS 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4435 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	9

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4435 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4436

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4436 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg,	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		c
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification	
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9	
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4436 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1	
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3	
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4	
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1	
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8	
Regulated substance	No performance determined		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors



DoP No.: 1.4438

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Froducts (Amendment etc.) (Eo Exit) Regulations 2020			
for the construction product	Hot-rolled plate		
1. Unique identification code for product type:	1.4438 – EN 10088-4:2009		
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document		
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.		
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden		
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed		
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+	
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,	
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879	
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080	
as a confirmation of conformity for the factory production control.			
8. Construction product with European Technical Assessment:	No		

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4438 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4439 In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019

and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Products (Amendment etc.) (r EU EXIL) Regulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4439 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification	
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9	
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4439 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1	
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3	
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4	
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1	
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8	
Regulated substance	No performance determined		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4462

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Products (Amendment etc.) (EU EXIT) Regulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4462 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification flo.: 0043	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4462 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4466

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4466 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg,	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4466 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4529

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

for the construction product	Hot-rolled plate	
Unique identification code for product type:	1.4529 – EN 10088-4:2009	
Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
4. Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg,	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		2
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4529 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4539

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Froducts (Amendment etc.) (Ed Exit) Regulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4539 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
8. Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4539 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4541

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Products (Amendment etc.) (EU EXIL) Regulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4541 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspecti	on document
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	CR0 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		9
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4541 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4547

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Products (Amendment etc.) (EU EXIT) Regulations 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4547 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspecti	on document
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0043	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		,
Construction product with European Technical Assessment:	No	4

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4547 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4565

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the constituction i roduces (Amendment etc.) (LO EXITY NEGUIATIONS 2020	
for the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4565 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
6. Assessment system and verification for constancy of performance acc. to annex V:	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg,	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor,
has conducted the first inspection and continuous surveillance according to the system above and	identification no.: 0045	Dingwall Road, Croydon, CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4565 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors:



DoP No.: 1.4571

In accordance with Regulation (EU) No. 305/2011, and Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020	
or the construction product	Hot-rolled plate	
1. Unique identification code for product type:	1.4571 – EN 10088-4:2009	
2. Batch No./Serial No. acc. to article 11 par. 4:	See marking / label / inspection document	
3. Intended use for construction product:	Plate of corrosion resisting steels for construction purposes.	
Contact address of manufacturer: acc. to article 11 par. 5	Outokumpu Stainless AB Degerfors Operations SE-69381 Degerfors, Sweden	
5. Contact address of authorised representative acc. article 12 par. 2:	Not appointed	
 Assessment system and verification for constancy of performance acc. to annex V: 	EN 10088-4:2009 System 2+	BS EN 10088-4:2009 System 2+
7. The notified/approved body:	TÜV NORD Systems GmbH & Co. KG, Hamburg, identification no.: 0045	TÜV UK Ltd, AMP House, Suites 27 - 29, Fifth Floor, Dingwall Road, Croydon,
has conducted the first inspection and continuous surveillance according to the system above and	identification flo.: 0045	CRO 2LX, identification no.: 0879
issued the certificate:	0045-CPR-0519	0879-CPR-10088-4- SE00080
as a confirmation of conformity for the factory production control.		
Construction product with European Technical Assessment:	No	

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Limiting dimension and shape tolerance	Tolerances acc. to EN 10029	EN 10088-4:2009, section 6.9
proof strength Rp0.2 tensile strength Rm elongation A ISO-V impact energy KV	Acc. to 1.4571 – EN 10088-4:2009	EN 10088-4:2009, section 6.5.1
Weldability	(proven by chemical composition)	EN 10088-4:2009, section 6.3
Durability	(proven by chemical composition)	EN 10088-4:2009, section 6.3 and 6.4
Fracture toughness/ brittle fracture	(proven by ISO-V impact energy)	EN 10088-4:2009, section 6.5.1
Cold formability	(proven by elongation)	EN 10088-4:2009, Section 6.8
Regulated substance	No performance determined	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Pål Åström, VP Operations Degerfors: